

B-RAD 500

BRUSHLESS SELECT TOOL KIT

PART #: 28283

The newly designed B-RAD Brushless Select Series offers higher speed and longer battery life whilst incorporating a new torque display with new buttons.

Easily select the target torque

The B-RAD select tool comes with two simple buttons allowing the user to easily select the target torque in increments of 10 ft.lbs/Nm throughout the calibrated range.


Cordless torque

This tool is especially suitable for pre-torque and service jobs where electricity or compressed air are not available. The number of cycles per battery is dependent on stud length, lubrication and temperature.

- Latest Lithium-ion 18V/5.2 Ah battery technology
- Fast and accurate - Accuracy of (+/- 5% on full scale)
- Supplied complete with reaction arm, two 18V batteries and charger in a weather proof storage case.
- Automatically backs off when the torque cycle is complete, this allows the end user to move quickly to the next bolt.
- Made in Canada

Updated features

- Significantly lower noise level
- Lighter tool
- Shorter overall length of the tool
- Low temperature brush-less technology
- Longer battery life as energy is used more efficiently
- Low battery warning on display
- Voltage level on display



Part Number	Tool Model	Square Drive	Torque		Speed RPM	Weight Kg	Noise Level DbA	Dimensions			
			Lb-fts	Nm				A	B	C	D
28283	B-RAD SELECT BL 500	3/4"	130-500	170-700	21.5	3.5	65	231	63.5	67	262

Reaction Arms

Standard Angled	Angled Deep Socket	90° Standard	90° Deep Socket	Double Ended	Sliding Arm	Double Ended Weldable Blank	Retaining Ring
17235	17236	13366	13367	13368	TBA	13365	12733

SYDNEY HEAD OFFICE

131 WOIDS AVENUE
 CARLTON NSW 2218
 TEL: (02) 9547 1844
sales@specialisedforce.com.au

Adelaide

316 SOUTH ROAD
 RICHMOND SA 5033
 TEL: (08) 8352 8866
sasales@specialisedforce.com.au

Brisbane

2/68 NORTHLINK PLACE
 NORTHGATE QLD 4013
 TEL: (07) 3256 6011
qldsales@specialisedforce.com.au

Townsville

2/1 CIVIL ROAD
 GARBUTT QLD 4814
 TEL: (07) 4728 8756
nqsales@specialisedforce.com.au

Melbourne

2/18 SOUTHFORK DRIVE
 KILSYTH VIC 3137
 TEL: (03) 9761 4199
vic-sales@specialisedforce.com.au

- Quality

- Sales

- Service

- Solutions

Perth

19 AUGUSTA STREET
 WILLETTON WA 6155
 TEL: (08) 9354 8544
wasa-sales@specialisedforce.com.au

Port Hedland

4/13 CAJARINA ROAD
 WEDGEFIELD WA 6721
 TEL: (08) 9172 1113
phtsales@specialisedforce.com.au

Darwin

4/17 WILLES ROAD
 BERRIMAH NT 0828
 TEL: (08) 8984 4453
ntsales@specialisedforce.com.au

Hobart

22/370-380 CAMBRIDGE ROAD
 MORNINGTON TAS 7018
 TEL: 0427 423 217
tassales@specialisedforce.com.au

B-RAD 500-2 SELECT TOOL KIT

PART #: 24502

Introducing the B-RAD Select Series offering high power, versatility and reliability.

Easily select the target torque

The B-RAD Select tool comes with two simple buttons allowing the user to easily select the target torque in increments of 10 ft.lbs/Nm throughout the calibrated range.


Cordless Torque

This tool is especially suitable for pre-torque and service jobs where electricity or compressed air are not available. The number of cycles per battery is dependent on stud length, lubrication and temperature.

- Latest Lithium-ion 18V/5.2 Ah battery technology
- Fast and accurate - Accuracy of (+/- 5% on full scale)
- Supplied complete with reaction arm, two 18V batteries and charger in a weather proof storage case.
- Automatically backs off when the torque cycle is complete, this allows the end user to move quickly to the next bolt.
- Made in Canada

Updated features

- Significantly lower noise level
- Lighter tool
- Shorter overall length of the tool
- Low temperature brushless technology
- Longer battery life as energy is used more efficiently
- Low battery warning on display
- Voltage level on display



Part Number	Tool Model	Square Drive	Torque		Speed RPM	Weight Kg	Noise Level DbA	Dimensions			
			Lb-fts	Nm				A	B	C	D
24502	B-RAD SELECT 500-2	3/4"	130-500	170-700	58	4.2	80	286	64	67	260

Reaction Arms							
Standard Angled	Angled Deep Socket	90° Standard	90° Deep Socket	Double Ended	Sliding Arm	Double Ended Weldable Blank	Retaining Ring
17235	17236	13366	13367	13368	TBA	13365	12733

SYDNEY HEAD OFFICE

131 WOIDS AVENUE
CARLTON NSW 2218
TEL: (02) 9547 1844
sales@specialisedforce.com.au

Adelaide

316 SOUTH ROAD
RICHMOND SA 5033
TEL: (08) 8352 8866
sasales@specialisedforce.com.au

Brisbane

2/68 NORTHLINK PLACE
NORTHGATE QLD 4013
TEL: (07) 3256 6011
qldsales@specialisedforce.com.au

Townsville

2/1 CIVIL ROAD
GARbutt QLD 4814
TEL: (07) 4728 8756
nqsales@specialisedforce.com.au

Melbourne

2/18 SOUTHFORK DRIVE
KILSYTH VIC 3137
TEL: (03) 9761 4199
vicsales@specialisedforce.com.au

Perth

19 AUGUSTA STREET
WILLETTON WA 6155
TEL: (08) 9354 8544
wasales@specialisedforce.com.au

Port Hedland

4/13 CAJARINA ROAD
WEDGEFIELD WA 6721
TEL: (08) 9172 1113
phsales@specialisedforce.com.au

Darwin

4/17 WILLES ROAD
BERRIMAH NT 0828
TEL: (08) 8984 4453
ntsales@specialisedforce.com.au

Hobart

22/370-380 CAMBRIDGE ROAD
MORNINGTON TAS 7018
TEL: 0427 423 217
tassales@specialisedforce.com.au

- Quality

- Sales

- Service

- Solutions

B-RAD 1000

BRUSHLESS SELECT TOOL KIT

PART #: 28286

The newly designed B-RAD Brushless Select Series offers higher speed and longer battery life whilst incorporating a new torque display with new buttons.

Easily select the target torque

The B-RAD select tool comes with two simple buttons allowing the user to easily select the target torque in increments of 10 ft.lbs/Nm throughout the calibrated range.


Cordless torque

This tool is especially suitable for pre-torque and service jobs where electricity or compressed air are not available. The number of cycles per battery is dependent on stud length, lubrication and temperature.

- Latest Lithium-ion 18V/5.2 Ah battery technology
- Fast and accurate - Accuracy of (+/- 5% on full scale)
- Supplied complete with reaction arm, two 18V batteries and charger in a weather proof storage case
- Automatically backs off when the torque cycle is complete, this allows the end user to move quickly to the next bolt
- Made in Canada

Updated features

- Significantly lower noise level
- Lighter tool
- Shorter overall length of the tool
- Low temperature brush-less technology
- Longer battery life as energy is used more efficiently
- Low battery warning on display
- Voltage level on display



Part Number	Tool Model	Square Drive	Torque		Speed RPM	Weight Kg	Noise Level DbA	Dimensions			
			Lb-ft	Nm				A	B	C	D
28286	B-RAD SELECT BL 1000-2	3/4"	200-1000	300-1400	71	4.3	65	231	63.5	67	262

Reaction Arms							
Standard Angled	Angled Deep Socket	90° Standard	90° Deep Socket	Double Ended	Sliding Arm	Double Ended Weldable Blank	Retaining Ring
17235	17236	13366	13367	13368	TBA	13365	12733

SYDNEY HEAD OFFICE

131 WOIDS AVENUE
 CARLTON NSW 2218
 TEL: (02) 9547 1844
sales@specialisedforce.com.au

Adelaide

316 SOUTH ROAD
 RICHMOND SA 5033
 TEL: (08) 8352 8866
sasales@specialisedforce.com.au

Brisbane

2/68 NORTHLINK PLACE
 NORTHGATE QLD 4013
 TEL: (07) 3256 6011
qldsales@specialisedforce.com.au

Townsville

2/1 CIVIL ROAD
 GARBUTT QLD 4814
 TEL: (07) 4728 8756
nqsales@specialisedforce.com.au

Melbourne

2/18 SOUTHFORK DRIVE
 KILSYTH VIC 3137
 TEL: (03) 9761 4199
vic-sales@specialisedforce.com.au

- Quality

- Sales

- Service

- Solutions

Perth

19 AUGUSTA STREET
 WILLETTON WA 6155
 TEL: (08) 9354 8544
wasa-sales@specialisedforce.com.au

Port Hedland

4/13 CAJARINA ROAD
 WEDGEFIELD WA 6721
 TEL: (08) 9172 1113
phsales@specialisedforce.com.au

Darwin

4/17 WILLES ROAD
 BERRIMAH NT 0828
 TEL: (08) 8984 4453
nts-sales@specialisedforce.com.au

Hobart

22/370-380 CAMBRIDGE ROAD
 MORNINGTON TAS 7018
 TEL: 0427 423 217
tassales@specialisedforce.com.au

B-RAD 1500

BRUSHLESS SELECT TOOL KIT

PART #: 28287

The newly designed B-RAD Brushless Select Series offers higher speed and longer battery life whilst incorporating a new torque display with new buttons.

Easily select the target torque

The B-RAD select tool comes with two simple buttons allowing the user to easily select the target torque in increments of 10 ft.lbs/Nm throughout the calibrated range.


Cordless torque

This tool is especially suitable for pre-torque and service jobs where electricity or compressed air are not available. The number of cycles per battery is dependent on stud length, lubrication and temperature.

- Latest Lithium-ion 18V/5.2 Ah battery technology
- Fast and accurate - Accuracy of (+/- 5% on full scale)
- Supplied complete with reaction arm, two 18V batteries and charger in a weather proof storage case.
- Automatically backs off when the torque cycle is complete, this allows the end user to move quickly to the next bolt
- Made in Canada

Updated features

- Significantly lower noise level
- Lighter tool
- Shorter overall length of the tool
- Low temperature brush-less technology
- Longer battery life as energy is used more efficiently
- Low battery warning on display
- Voltage level on display



Part Number	Tool Model	Square Drive	Torque		Speed RPM	Weight Kg	Noise Level DbA	Dimensions			
			Lb-ft	Nm				A	B	C	D
28287	B-RAD SELECT BL 1500	1"	300 - 1500	400 - 2000	6	4	65	244	69	69	262

Reaction Arms							
Standard Angled	Angled Deep Socket	90° Standard	90° Deep Socket	Double Ended	Sliding Arm	Double Ended Weldable Blank	Retaining Ring
14213	14214	17375	18480	19094	TBA	19093	17367

SYDNEY HEAD OFFICE
 131 WOIDS AVENUE
 CARLTON NSW 2218
 TEL: (02) 9547 1844
sales@specialisedforce.com.au

Adelaide
 316 SOUTH ROAD
 RICHMOND SA 5033
 TEL: (08) 8352 8866
sasales@specialisedforce.com.au

Brisbane
 2/68 NORTHLINK PLACE
 NORTHGATE QLD 4013
 TEL: (07) 3256 6011
qldsales@specialisedforce.com.au

Townsville
 2/1 CIVIL ROAD
 GARBUTT QLD 4814
 TEL: (07) 4728 8756
nqsales@specialisedforce.com.au

Melbourne
 2/18 SOUTHFORK DRIVE
 KILSYTH VIC 3137
 TEL: (03) 9761 4199
vicsales@specialisedforce.com.au

Perth
 19 AUGUSTA STREET
 WILLETTON WA 6155
 TEL: (08) 9354 8544
wasales@specialisedforce.com.au

Port Hedland
 4/13 CAJARINA ROAD
 WEDGEFIELD WA 6721
 TEL: (08) 9172 1113
phtsales@specialisedforce.com.au

Darwin
 4/17 WILLES ROAD
 BERRIMAH NT 0828
 TEL: (08) 8984 4453
ntsales@specialisedforce.com.au

Hobart
 22/370-380 CAMBRIDGE ROAD
 MORNINGTON TAS 7018
 TEL: 0427 423 217
tassales@specialisedforce.com.au

- **Quality**

- **Sales**

- **Service**

- **Solutions**

B-RAD 1500-2

BRUSHLESS SELECT TOOL KIT

PART #: 28288

The newly designed B-RAD Brushless Select Series offers higher speed and longer battery life whilst incorporating a new torque display with new buttons.

Easily select the target torque

The B-RAD select tool comes with two simple buttons allowing the user to easily select the target torque in increments of 10 ft.lbs/Nm throughout the calibrated range.


Cordless torque

This tool is especially suitable for pre-torque and service jobs where electricity or compressed air are not available. The number of cycles per battery is dependent on stud length, lubrication and temperature.

- Latest Lithium-ion 18V/5.2 Ah battery technology
- Fast and accurate - Accuracy of (+/- 5% on full scale)
- Supplied complete with reaction arm, two 18V batteries and charger in a weather proof storage case.
- Automatically backs off when the torque cycle is complete, this allows the end user to move quickly to the next bolt
- Made in Canada

Updated features

- Significantly lower noise level
- Lighter tool
- Shorter overall length of the tool
- Low temperature brush-less technology
- Longer battery life as energy is used more efficiently
- Low battery warning on display
- Voltage level on display



Part Number	Tool Model	Square Drive	Torque		Speed RPM	Weight Kg	Noise Level DbA	Dimensions			
			Lb-ft	Nm				A	B	C	D
28288	B-RAD SELECT BL 1500-2	1"	300 - 1500	400 - 2000	19.5	4.9	65	298	69	69	262

Reaction Arms

Standard Angled	Angled Deep Socket	90° Standard	90° Deep Socket	Double Ended	Sliding Arm	Double Ended Weldable Blank	Retaining Ring
14213	14214	17375	18480	19094	TBA	19093	17367

SYDNEY HEAD OFFICE

131 WOIDS AVENUE
 CARLTON NSW 2218
 TEL: (02) 9547 1844
sales@specialisedforce.com.au

Adelaide

316 SOUTH ROAD
 RICHMOND SA 5033
 TEL: (08) 8352 8866
sasales@specialisedforce.com.au

Brisbane

2/68 NORTHLINK PLACE
 NORTHGATE QLD 4013
 TEL: (07) 3256 6011
qldsales@specialisedforce.com.au

Townsville

2/1 CIVIL ROAD
 GARBUTT QLD 4814
 TEL: (07) 4728 8756
nqsales@specialisedforce.com.au

Melbourne

2/18 SOUTHFORK DRIVE
 KILSYTH VIC 3137
 TEL: (03) 9761 4199
vicsales@specialisedforce.com.au

Perth

19 AUGUSTA STREET
 WILLETTON WA 6155
 TEL: (08) 9354 8544
wasales@specialisedforce.com.au

Port Hedland

4/13 CAJARINA ROAD
 WEDGEFIELD WA 6721
 TEL: (08) 9172 1113
phtsales@specialisedforce.com.au

Darwin

4/17 WILLES ROAD
 BERRIMAH NT 0828
 TEL: (08) 8984 4453
ntsales@specialisedforce.com.au

Hobart

22/370-380 CAMBRIDGE ROAD
 MORNINGTON TAS 7018
 TEL: 0427 423 217
tassales@specialisedforce.com.au

- Quality

- Sales

- Service

- Solutions

B-RAD 3000-2 BRUSHLESS SELECT TOOL KIT PART #: 28290

The newly designed B-RAD Brushless select series offers higher speed and longer battery life whilst incorporating a new torque display with new buttons.

Easily select the target torque

The B-RAD select tool comes with two simple buttons allowing the user to easily select the target torque in increments of 10 ft.lbs/Nm throughout the calibrated range.


Cordless torque

This tool is especially suitable for pre-torque and service jobs where electricity or compressed air are not available. The number of cycles per battery is dependent on stud length, lubrication and temperature.

- Latest Lithium-ion 18V/5.2 Ah battery technology
- Fast and accurate - Accuracy of (+/- 5% on full scale)
- Supplied complete with reaction arm, two 18V batteries and charger in a weather proof storage case.
- Automatically backs off when the torque cycle is complete, this allows the end user to move quickly to the next bolt
- Made in Canada

Updated features

- Significantly lower noise level
- Lighter tool
- Shorter overall length of the tool
- Low temperature brush-less technology
- Longer battery life as energy is used more efficiently
- Low battery warning on display
- Voltage level on display



Part Number	Tool Model	Square Drive	Torque		Speed RPM	Weight Kg	Noise Level DbA	Dimensions			
			Lb-ft	Nm				A	B	C	D
28290	B-RAD SELECT BL 3000-2	1"	600 - 3000	800 - 4000	3	6.0	65	285	81	81	266

Reaction Arms							
Standard Angled	Angled Deep Socket	90° Standard	90° Deep Socket	Double Ended	Sliding Arm	Double Ended Weldable Blank	Retaining Ring
21482	24814	25981	27231	25437	TBA	25016	21474

SYDNEY HEAD OFFICE
 131 WOIDS AVENUE
 CARLTON NSW 2218
 TEL: (02) 9547 1844
sales@specialisedforce.com.au

Adelaide
 316 SOUTH ROAD
 RICHMOND SA 5033
 TEL: (08) 8352 8866
sasales@specialisedforce.com.au

Brisbane
 2/68 NORTHLINK PLACE
 NORTHGATE QLD 4013
 TEL: (07) 3256 6011
qldsales@specialisedforce.com.au

Townsville
 2/1 CIVIL ROAD
 GARBUTT QLD 4814
 TEL: (07) 4728 8756
nqsales@specialisedforce.com.au

Melbourne
 2/18 SOUTHFORK DRIVE
 KILSYTH VIC 3137
 TEL: (03) 9761 4199
vicsales@specialisedforce.com.au

Perth
 19 AUGUSTA STREET
 WILLETTON WA 6155
 TEL: (08) 9354 8544
wasales@specialisedforce.com.au

Port Hedland
 4/13 CAJARINA ROAD
 WEDGEFIELD WA 6721
 TEL: (08) 9172 1113
phtsales@specialisedforce.com.au

Darwin
 4/17 WILLES ROAD
 BERRIMAH NT 0828
 TEL: (08) 8984 4453
ntsales@specialisedforce.com.au

Hobart
 22/370-380 CAMBRIDGE ROAD
 MORNINGTON TAS 7018
 TEL: 0427 423 217
tassales@specialisedforce.com.au

- Quality

- Sales

- Service

- Solutions

B-RAD 5000

BRUSHLESS SELECT TOOL KIT

PART #: 28291

The newly designed B-RAD Brushless Select Series offers higher speed and longer battery life whilst incorporating a new torque display with new buttons.

Easily select the target torque

The B-RAD select tool comes with two simple buttons allowing the user to easily select the target torque in increments of 10 ft.lbs/Nm throughout the calibrated range.


Cordless torque

This tool is especially suitable for pre-torque and service jobs where electricity or compressed air are not available. The number of cycles per battery is dependent on stud length, lubrication and temperature.

- Latest Lithium-ion 18V/5.2 Ah battery technology
- Fast and accurate - Accuracy of (+/- 5% on full scale)
- Supplied complete with reaction arm, two 18V batteries and charger in a weather proof storage case.
- Automatically backs off when the torque cycle is complete, this allows the end user to move quickly to the next bolt
- Made in Canada

Updated features

- Significantly lower noise level
- Lighter tool
- Shorter overall length of the tool
- Low temperature brush-less technology
- Longer battery life as energy is used more efficiently
- Low battery warning on display
- Voltage level on display



Part Number	Tool Model	Square Drive	Torque		Speed RPM	Weight Kg	Noise Level DbA	Dimensions			
			Lb-ft	Nm				A	B	C	D
28291	B-RAD SELECT BL 5000	1 1/2"	1000 - 5000	1350 - 7000	2.1	8.8	65	295	95	95	272

Reaction Arms							
Standard Angled	Angled Deep Socket	90° Standard	90° Deep Socket	Double Ended	Sliding Arm	Double Ended Weldable Blank	Retaining Ring
25286	26118	29422	29425	26119	TBA	26121	10032

SYDNEY HEAD OFFICE
 131 WOIDS AVENUE
 CARLTON NSW 2218
 TEL: (02) 9547 1844
sales@specialisedforce.com.au

Adelaide
 316 SOUTH ROAD
 RICHMOND SA 5033
 TEL: (08) 8352 8866
sasales@specialisedforce.com.au

Brisbane
 2/68 NORTHLINK PLACE
 NORTHGATE QLD 4013
 TEL: (07) 3256 6011
qldsales@specialisedforce.com.au

Townsville
 2/1 CIVIL ROAD
 GARBUTT QLD 4814
 TEL: (07) 4728 8756
nqsales@specialisedforce.com.au

Melbourne
 2/18 SOUTHFORK DRIVE
 KILSYTH VIC 3137
 TEL: (03) 9761 4199
vicsales@specialisedforce.com.au

Perth
 19 AUGUSTA STREET
 WILLETTON WA 6155
 TEL: (08) 9354 8544
wasales@specialisedforce.com.au

Port Hedland
 4/13 CAJARINA ROAD
 WEDGEFIELD WA 6721
 TEL: (08) 9172 1113
phtsales@specialisedforce.com.au

Darwin
 4/17 WILLES ROAD
 BERRIMAH NT 0828
 TEL: (08) 8984 4453
ntsales@specialisedforce.com.au

Hobart
 22/370-380 CAMBRIDGE ROAD
 MORNINGTON TAS 7018
 TEL: 0427 423 217
tassales@specialisedforce.com.au

- Quality

- Sales

- Service

- Solutions