

## RAD 7GX-R TOOL KIT

PART #: 13495


Accidents caused by incorrectly tightened wheel nuts are a serious problem. That's why the RAD Wheel Nut Bolting was designed with one job in mind: wheel nut bolting where torque control is a must.







RAD planetary gear torque wrenches are vibration free and have the accuracy to prevent accidental under- and over-tightening. The nose extensions are ideal for reaching wheel nut studs that are recessed and have tight clearances.

Developed exclusively for extreme duty maintenance of mining haul trucks from 50-400 ton capacities and front-end loaders. The extended nose allows safe access of virtually all wheel configurations found on today's heavy equipment.

- Removable custom reaction arms designed to fit virtually on any wheel configuration.
- Numerous configurations are ideal for tight clearances
- Extended reaction point for safe and quick operation
- Accuracy to ensure correct tightened wheels

All RAD pneumatic Series tools are supplied with Reaction arm, 3M hose, tool holder, Filter/Regulator/Lubricator, Weatherproof Site box and instruction manual as standard.



Part Number	Tool Model	Square Drive	Torque		Speed RPM	Weight Kg	Noise Level DbA	Dimensions				
			Lb-fts	Nm				A	B	C	D	E
13495	7 GX-R	3/4"	300 - 700	407 - 949	115	5.4	80	368	64		51	70
<b>Reaction Arms</b>												
												
Standard	Deep Socket	Double Ended	Weldable Blank	Double Ended Weldable Blank	Retaining Ring							
13512	12902	13442	13773	12903	10306							

### SYDNEY HEAD OFFICE

131 WOIDS AVENUE  
CARLTON NSW 2218  
TEL: (02) 9547 1844  
sales@specialisedforce.com.au

### Adelaide

316 SOUTH ROAD  
RICHMOND SA 5033  
TEL: (08) 8352 8866  
sasales@specialisedforce.com.au

### Brisbane

2/68 NORTHLINK PLACE  
NORTHGATE QLD 4013  
TEL: (07) 3256 6011  
qldsales@specialisedforce.com.au

### Townsville

2/1 CIVIL ROAD  
GARbutt QLD 4814  
TEL: (07) 4728 8756  
nqsales@specialisedforce.com.au

### Melbourne

2/18 SOUTHFORK DRIVE  
KILSYTH VIC 3137  
TEL: (03) 9761 4199  
vicsales@specialisedforce.com.au

**- Quality**

**- Sales**

**- Service**

**- Solutions**

### Perth

19 AUGUSTA STREET  
WILLETTON WA 6155  
TEL: (08) 9354 8544  
wasales@specialisedforce.com.au

### Port Hedland

4/13 CAJARINA ROAD  
WEDGEFIELD WA 6721  
TEL: (08) 9172 1113  
phsales@specialisedforce.com.au

### Darwin

4/17 WILLES ROAD  
BERRIMAH NT 0828  
TEL: (08) 8984 4453  
ntsales@specialisedforce.com.au

### Hobart

22/370-380 CAMBRIDGE ROAD  
MORNINGTON TAS 7018  
TEL: 0427 423 217  
tassales@specialisedforce.com.au

## RAD 10GX-NX TOOL KIT

Accidents caused by incorrectly tightened wheel nuts are a serious problem. That's why the RAD Wheel Nut Bolting was designed with one job in mind: wheel nut bolting where torque control is a must.

RAD planetary gear torque wrenches are vibration free and have the accuracy to prevent accidental under- and over-tightening. The nose extensions are ideal for reaching wheel nut studs that are recessed and have tight clearances.

Designed with flexibility in mind. Complete with 3 different reaction arms and a nose extension for hard-to-reach areas, the NX Kit is a "go anywhere" tool capable of a variety of applications but especially suitable for off-road construction equipment.

- Removable custom reaction arms designed to fit virtually on any wheel configuration.
- Numerous configurations are ideal for tight clearances
- Extended reaction point for safe and quick operation
- Accuracy to ensure correct tightened wheels





Each kit contains:

RAD Pneumatic Torque Tool, Standard Reaction Plate, Tool Holder with Filter/Regulator/ Lubricator, Nose Extension, Standard Reaction Arm for Nose Extension, Wheel Nut Reaction Arm for Nose Extension, Military Grade water/ dust proof hard case, Hoses and fittings.



Part Number	Tool Model	Square Drive	Torque		Speed	Weight	Noise Level
			Lb-fts	Nm	RPM	Kg	DbA
12818.NX12	10GX-NX KIT - 12" EXTENSION	3/4"	200 - 1000	271 - 1356	20	3.6	80
12818.NX15	10GX-NX KIT - 15" EXTENSION	3/4"	200 - 1000	271 - 1356	20	3.6	80
12818.NX18	10GX-NX KIT - 18" EXTENSION	3/4"	200 - 1000	271 - 1356	20	3.6	80

### Reaction Arms / Nose Extension Included In The Kit

			
Standard Reaction Arm	Nose Extensions	Standard Reaction Arm For Nose Extension	Wheel Nut Reaction Arm For Nose Extension
17235	14195 (12), 14200 (15), 14205 (18)	19151	13512

#### SYDNEY HEAD OFFICE

131 WOIDS AVENUE  
CARLTON NSW 2218  
TEL: (02) 9547 1844  
sales@specialisedforce.com.au

#### Adelaide

316 SOUTH ROAD  
RICHMOND SA 5033  
TEL: (08) 8352 8866  
sasales@specialisedforce.com.au

#### Brisbane

2/68 NORTHLINK PLACE  
NORTHGATE QLD 4013  
TEL: (07) 3256 6011  
qldsales@specialisedforce.com.au

#### Townsville

2/1 CIVIL ROAD  
GARbutt QLD 4814  
TEL: (07) 4728 8756  
nqsales@specialisedforce.com.au

#### Melbourne

2/18 SOUTH FORK DRIVE  
KILSYTH VIC 3137  
TEL: (03) 9761 4199  
vicsales@specialisedforce.com.au

- **Quality**

- **Sales**

- **Service**

- **Solutions**

#### Perth

19 AUGUSTA STREET  
WILLETTON WA 6155  
TEL: (08) 9354 8544  
wasales@specialisedforce.com.au

#### Port Hedland

4/13 CAJARINA ROAD  
WEDGEFIELD WA 6721  
TEL: (08) 9172 1113  
phsales@specialisedforce.com.au

#### Darwin

4/17 WILLES ROAD  
BERRIMAH NT 0828  
TEL: (08) 8984 4453  
ntsales@specialisedforce.com.au

#### Hobart

22/370-380 CAMBRIDGE ROAD  
MORNINGTON TAS 7018  
TEL: 0427 423 217  
tassales@specialisedforce.com.au



## RAD 15DX-NX TOOL KIT

Accidents caused by incorrectly tightened wheel nuts are a serious problem. That's why the RAD Wheel Nut Bolting was designed with one job in mind: wheel nut bolting where torque control is a must.

RAD planetary gear torque wrenches are vibration free and have the accuracy to prevent accidental under- and over-tightening. The nose extensions are ideal for reaching wheel nut studs that are recessed and have tight clearances.

Designed with flexibility in mind. Complete with 3 different reaction arms and a nose extension for hard-to-reach areas, the NX Kit is a "go anywhere" tool capable of a variety of applications but especially suitable for off-road construction equipment.

- Removable custom reaction arms designed to fit virtually on any wheel configuration.
- Numerous configurations are ideal for tight clearances
- Extended reaction point for safe and quick operation
- Accuracy to ensure correct tightened wheels





Each kit contains:

RAD Pneumatic Torque Tool, Standard Reaction Plate, Tool Holder with Filter/Regulator/ Lubricator, Nose Extension, Standard Reaction Arm for Nose Extension, Wheel Nut Reaction Arm for Nose Extension, Military Grade water/ dust proof hard case, Hoses and fittings.



Part Number	Tool Model	Square Drive	Torque		Speed	Weight	Noise Level
			Lb-fts	Nm	RPM	Kg	DbA
17328.NX12	15DX-NX KIT - 12" EXTENSION	1"	300 - 1500	400 - 2000	10	3.9	85
17328.NX15	15DX-NX KIT - 15" EXTENSION	1"	300 - 1500	400 - 2000	10	3.9	85
17328.NX18	15DX-NX KIT - 18" EXTENSION	1"	300 - 1500	400 - 2000	10	3.9	85

### Reaction Arms / Nose Extension Included In The Kit

			
Standard Reaction Arm	Nose Extensions	Standard Reaction Arm For Nose Extension	Wheel Nut Reaction Arm For Nose Extension
14213	18185 (12), 19058 (15), 19059 (18)	19772	20153

#### SYDNEY HEAD OFFICE

131 WOIDS AVENUE  
CARLTON NSW 2218  
TEL: (02) 9547 1844  
sales@specialisedforce.com.au

#### Adelaide

316 SOUTH ROAD  
RICHMOND SA 5033  
TEL: (08) 8352 8866  
sasales@specialisedforce.com.au

#### Brisbane

2/68 NORTHLINK PLACE  
NORTHGATE QLD 4013  
TEL: (07) 3256 6011  
qldsales@specialisedforce.com.au

#### Townsville

2/1 CIVIL ROAD  
GARbutt QLD 4814  
TEL: (07) 4728 8756  
nqsales@specialisedforce.com.au

#### Melbourne

2/18 SOUTH FORK DRIVE  
KILSYTH VIC 3137  
TEL: (03) 9761 4199  
vicsales@specialisedforce.com.au

- **Quality**

- **Sales**

- **Service**

- **Solutions**

#### Perth

19 AUGUSTA STREET  
WILLETTON WA 6155  
TEL: (08) 9354 8544  
wasales@specialisedforce.com.au

#### Port Hedland

4/13 CAJARINA ROAD  
WEDGEFIELD WA 6721  
TEL: (08) 9172 1113  
phsales@specialisedforce.com.au

#### Darwin

4/17 WILLES ROAD  
BERRIMAH NT 0828  
TEL: (08) 8984 4453  
ntsales@specialisedforce.com.au

#### Hobart

22/370-380 CAMBRIDGE ROAD  
MORNINGTON TAS 7018  
TEL: 0427 423 217  
tassales@specialisedforce.com.au

## RAD 15NDX-R TOOL KIT

PART #: 20810



Accidents caused by incorrectly tightened wheel nuts are a serious problem. That's why the RAD Wheel Nut Bolting was designed with one job in mind: wheel nut bolting where torque control is a must.







RAD planetary gear torque wrenches are vibration free and have the accuracy to prevent accidental under- and over-tightening. The nose extensions are ideal for reaching wheel nut studs that are recessed and have tight clearances.

Developed exclusively for extreme duty maintenance of mining haul trucks from 50-400 ton capacities and front-end loaders. The extended nose allows safe access of virtually all wheel configurations found on today's heavy equipment.

- Removable custom reaction arms designed to fit virtually on any wheel configuration.
- Numerous configurations are ideal for tight clearances
- Extended reaction point for safe and quick operation
- Accuracy to ensure correct tightened wheels

All RAD pneumatic Series tools are supplied with Reaction arm, 3M hose, tool holder, Filter/Regulator/Lubricator, Weatherproof Site box and instruction manual as standard.



Part Number	Tool Model	Square Drive	Torque		Speed RPM	Weight Kg	Noise Level DbA	Dimensions				
			Lb-fts	Nm				A	B	C	D	E
20810	15NDX-R	1"	300 - 1500	407 - 2034	10	7.2	80	542	76	51	84	241
<b>Reaction Arms</b>												
												
Standard	Deep Socket	Double Ended	Weldable Blank	Double Ended Weldable Blank	Retaining Ring							
19722	N/A	20891	20152	20892	12733							

**SYDNEY HEAD OFFICE**  
131 WOIDS AVENUE  
CARLTON NSW 2218  
TEL: (02) 9547 1844  
sales@specialisedforce.com.au

**Adelaide**  
316 SOUTH ROAD  
RICHMOND SA 5033  
TEL: (08) 8352 8866  
sasales@specialisedforce.com.au

**Brisbane**  
2/68 NORTHLINK PLACE  
NORTHGATE QLD 4013  
TEL: (07) 3256 6011  
qldsals@specialisedforce.com.au

**Townsville**  
2/1 CIVIL ROAD  
GARbutt QLD 4814  
TEL: (07) 4728 8756  
nqsals@specialisedforce.com.au

**Melbourne**  
2/18 SOUTH FORK DRIVE  
KILSYTH VIC 3137  
TEL: (03) 9761 4199  
vicsals@specialisedforce.com.au

- **Quality**

- **Sales**

- **Service**

- **Solutions**

**Perth**  
19 AUGUSTA STREET  
WILLETTON WA 6155  
TEL: (08) 9354 8544  
wasals@specialisedforce.com.au

**Port Hedland**  
4/13 CAJARINA ROAD  
WEDGEFIELD WA 6721  
TEL: (08) 9172 1113  
phsales@specialisedforce.com.au

**Darwin**  
4/17 WILLES ROAD  
BERRIMAH NT 0828  
TEL: (08) 8984 4453  
ntsals@specialisedforce.com.au

**Hobart**  
22/370-380 CAMBRIDGE ROAD  
MORNINGTON TAS 7018  
TEL: 0427 423 217  
tassals@specialisedforce.com.au

## RAD 25GX-NX TOOL KIT

Accidents caused by incorrectly tightened wheel nuts are a serious problem. That's why the RAD Wheel Nut Bolting was designed with one job in mind: wheel nut bolting where torque control is a must.

RAD planetary gear torque wrenches are vibration free and have the accuracy to prevent accidental under- and over-tightening. The nose extensions are ideal for reaching wheel nut studs that are recessed and have tight clearances.

Designed with flexibility in mind. Complete with 3 different reaction arms and a nose extension for hard-to-reach areas, the NX Kit is a "go anywhere" tool capable of a variety of applications but especially suitable for off-road construction equipment.





- Removable custom reaction arms designed to fit virtually on any wheel configuration.
- Numerous configurations are ideal for tight clearances
- Extended reaction point for safe and quick operation
- Accuracy to ensure correct tightened wheels

Each kit contains:

RAD Pneumatic Torque Tool, Standard Reaction Plate, Tool Holder with Filter/Regulator/ Lubricator, Nose Extension, Standard Reaction Arm for Nose Extension, Wheel Nut Reaction Arm for Nose Extension, Military Grade water/ dust proof hard case, Hoses and fittings.



Part Number	Tool Model	Square Drive	Torque		Speed	Weight	Noise Level
			Lb-fts	Nm	RPM	Kg	DbA
12377.NX12	25GX NX-KIT - 12" EXTENSION	1"	500 - 2500	678 - 3390	9	6.1	85
12377.NX15	25GX NX-KIT - 15" EXTENSION	1"	500 - 2500	678 - 3390	9	6.1	85
12377.NX18	25GX NX-KIT - 18" EXTENSION	1"	500 - 2500	678 - 3390	9	6.1	85

Reaction Arms / Nose Extension Included In The Kit			
			
Standard Reaction Arm	Nose Extensions	Standard Reaction Arm For Nose Extension	Wheel Nut Reaction Arm For Nose Extension
18863	15233 (12), 15232 (15), 15215 (18)	15191	15201

### SYDNEY HEAD OFFICE

131 WOIDS AVENUE  
CARLTON NSW 2218  
TEL: (02) 9547 1844  
sales@specialisedforce.com.au

### Adelaide

316 SOUTH ROAD  
RICHMOND SA 5033  
TEL: (08) 8352 8866  
sasales@specialisedforce.com.au

### Brisbane

2/68 NORTHLINK PLACE  
NORTHGATE QLD 4013  
TEL: (07) 3256 6011  
qldsals@specialisedforce.com.au

### Townsville

2/1 CIVIL ROAD  
GARbutt QLD 4814  
TEL: (07) 4728 8756  
nqsals@specialisedforce.com.au

### Melbourne

2/18 SOUTH FORK DRIVE  
KILSYTH VIC 3137  
TEL: (03) 9761 4199  
vicsals@specialisedforce.com.au

- **Quality**

- **Sales**

- **Service**

- **Solutions**

### Perth

19 AUGUSTA STREET  
WILLETTON WA 6155  
TEL: (08) 9354 8544  
wasals@specialisedforce.com.au

### Port Hedland

4/13 CAJARINA ROAD  
WEDGEFIELD WA 6721  
TEL: (08) 9172 1113  
phsales@specialisedforce.com.au

### Darwin

4/17 WILLES ROAD  
BERRIMAH NT 0828  
TEL: (08) 8984 4453  
ntsals@specialisedforce.com.au

### Hobart

22/370-380 CAMBRIDGE ROAD  
MORNINGTON TAS 7018  
TEL: 0427 423 217  
tassals@specialisedforce.com.au



## RAD 34GX-NX TOOL KIT

Accidents caused by incorrectly tightened wheel nuts are a serious problem. That's why the RAD Wheel Nut Bolting was designed with one job in mind: wheel nut bolting where torque control is a must.

RAD planetary gear torque wrenches are vibration free and have the accuracy to prevent accidental under- and over-tightening. The nose extensions are ideal for reaching wheel nut studs that are recessed and have tight clearances.

Designed with flexibility in mind. Complete with 3 different reaction arms and a nose extension for hard-to-reach areas, the NX Kit is a "go anywhere" tool capable of a variety of applications but especially suitable for off-road construction equipment.

- Removable custom reaction arms designed to fit virtually on any wheel configuration.
- Numerous configurations are ideal for tight clearances
- Extended reaction point for safe and quick operation
- Accuracy to ensure correct tightened wheels





Each kit contains:

RAD Pneumatic Torque Tool, Standard Reaction Plate, Tool Holder with Filter/Regulator/ Lubricator, Nose Extension, Standard Reaction Arm for Nose Extension, Wheel Nut Reaction Arm for Nose Extension, Military Grade water/ dust proof hard case, Hoses and fittings.



Part Number	Tool Model	Square Drive	Torque		Speed	Weight	Noise Level
			Lb-fts	Nm	RPM	Kg	DbA
12356.NX12	34GX NX-KIT - 12" EXTENSION	1"	1000 - 3400	1356 - 4610	12	9	85
12356.NX15	34GX NX-KIT - 15" EXTENSION	1"	1000 - 3400	1356 - 4610	12	9	85
12356.NX18	34GX NX-KIT - 18" EXTENSION	1"	1000 - 3400	1356 - 4610	12	9	85

### Reaction Arms / Nose Extension Included In The Kit

			
Standard Reaction Arm	Nose Extensions	Standard Reaction Arm For Nose Extension	Wheel Nut Reaction Arm For Nose Extension
18497	19270 (12), 19271 (15), 19272 (18)	15191	15201

#### SYDNEY HEAD OFFICE

131 WOIDS AVENUE  
CARLTON NSW 2218  
TEL: (02) 9547 1844  
sales@specialisedforce.com.au

#### Adelaide

316 SOUTH ROAD  
RICHMOND SA 5033  
TEL: (08) 8352 8866  
sasales@specialisedforce.com.au

#### Brisbane

2/68 NORTHLINK PLACE  
NORTHGATE QLD 4013  
TEL: (07) 3256 6011  
qldsals@specialisedforce.com.au

#### Townsville

2/1 CIVIL ROAD  
GARbutt QLD 4814  
TEL: (07) 4728 8756  
nqsals@specialisedforce.com.au

#### Melbourne

2/18 SOUTH FORK DRIVE  
KILSYTH VIC 3137  
TEL: (03) 9761 4199  
vicsals@specialisedforce.com.au

- **Quality**

- **Sales**

- **Service**

- **Solutions**

#### Perth

19 AUGUSTA STREET  
WILLETTON WA 6155  
TEL: (08) 9354 8544  
wasals@specialisedforce.com.au

#### Port Hedland

4/13 CAJARINA ROAD  
WEDGEFIELD WA 6721  
TEL: (08) 9172 1113  
phsals@specialisedforce.com.au

#### Darwin

4/17 WILLES ROAD  
BERRIMAH NT 0828  
TEL: (08) 8984 4453  
ntsals@specialisedforce.com.au

#### Hobart

22/370-380 CAMBRIDGE ROAD  
MORNINGTON TAS 7018  
TEL: 0427 423 217  
tassals@specialisedforce.com.au

## RAD 2000NGX-R TOOL KIT


PART #: 13479

Accidents caused by incorrectly tightened wheel nuts are a serious problem. That's why the RAD Wheel Nut Bolting was designed with one job in mind: wheel nut bolting where torque control is a must.







RAD planetary gear torque wrenches are vibration free and have the accuracy to prevent accidental under- and over-tightening. The nose extensions are ideal for reaching wheel nut studs that are recessed and have tight clearances.

Developed exclusively for extreme duty maintenance of mining haul trucks from 50-400 ton capacities and front-end loaders. The extended nose allows safe access of virtually all wheel configurations found on today's heavy equipment.

- Removable custom reaction arms designed to fit virtually on any wheel configuration.
- Numerous configurations are ideal for tight clearances
- Extended reaction point for safe and quick operation
- Accuracy to ensure correct tightened wheels



All RAD pneumatic Series tools are supplied with Reaction arm, 3M hose, tool holder, Filter/Regulator/Lubricator, Weatherproof Site box and instruction manual as standard.

Part Number	Tool Model	Square Drive	Torque		Speed RPM	Weight Kg	Noise Level DbA	Dimensions			
			Lb-fts	Nm				A	B	C	D
13479	2000NGX-R	1"	500-2000	700-2700	10	12.4	85	546	76	83	241
<b>Reaction Arms</b>											
											
Standard	Deep Socket	Double Ended	Weldable Blank	Double Ended Weldable Blank	Retaining Ring						
10247	10395	10397	10394	10396	10038						

### SYDNEY HEAD OFFICE

131 WOIDS AVENUE  
CARLTON NSW 2218  
TEL: (02) 9547 1844  
sales@specialisedforce.com.au

### Adelaide

316 SOUTH ROAD  
RICHMOND SA 5033  
TEL: (08) 8352 8866  
sasales@specialisedforce.com.au

### Brisbane

2/68 NORTHLINK PLACE  
NORTHGATE QLD 4013  
TEL: (07) 3256 6011  
qldsals@specialisedforce.com.au

### Townsville

2/1 CIVIL ROAD  
GARbutt QLD 4814  
TEL: (07) 4728 8756  
nqsals@specialisedforce.com.au

### Melbourne

2/18 SOUTH FORK DRIVE  
KILSYTH VIC 3137  
TEL: (03) 9761 4199  
vicsals@specialisedforce.com.au

- **Quality**

- **Sales**

- **Service**

- **Solutions**

### Perth

19 AUGUSTA STREET  
WILLETTON WA 6155  
TEL: (08) 9354 8544  
wasals@specialisedforce.com.au

### Port Hedland

4/13 CAJARINA ROAD  
WEDGEFIELD WA 6721  
TEL: (08) 9172 1113  
phsals@specialisedforce.com.au

### Darwin

4/17 WILLES ROAD  
BERRIMAH NT 0828  
TEL: (08) 8984 4453  
ntsals@specialisedforce.com.au

### Hobart

22/370-380 CAMBRIDGE ROAD  
MORNINGTON TAS 7018  
TEL: 0427 423 217  
tassals@specialisedforce.com.au

## RAD 2000-NX TOOL KIT

Accidents caused by incorrectly tightened wheel nuts are a serious problem. That's why the RAD Wheel Nut Bolting was designed with one job in mind: wheel nut bolting where torque control is a must.

RAD planetary gear torque wrenches are vibration free and have the accuracy to prevent accidental under- and over-tightening. The nose extensions are ideal for reaching wheel nut studs that are recessed and have tight clearances.

Designed with flexibility in mind. Complete with 3 different reaction arms and a nose extension for hard-to-reach areas, the NX Kit is a "go anywhere" tool capable of a variety of applications but especially suitable for off-road construction equipment.

- Removable custom reaction arms designed to fit virtually on any wheel configuration.
- Numerous configurations are ideal for tight clearances
- Extended reaction point for safe and quick operation
- Accuracy to ensure correct tightened wheels

Each kit contains:

RAD Pneumatic Torque Tool, Standard Reaction Plate, Tool Holder with Filter/Regulator/ Lubricator, Nose Extension, Standard Reaction Arm for Nose Extension, Wheel Nut Reaction Arm for Nose Extension, Military Grade water/ dust proof hard case, Hoses and fittings.



Part Number	Tool Model	Square Drive	Torque		Speed	Weight	Noise Level
			Lb-fts	Nm	RPM	Kg	DbA
12345.NX12	2000 NX-KIT - 12" EXTENSION	1"	500 - 2000	678 - 2712	13	5.9	85
12345.NX15	2000 NX-KIT - 15" EXTENSION	1"	500 - 2000	678 - 2712	13	5.9	85
12345.NX18	2000 NX-KIT - 18" EXTENSION	1"	500 - 2000	678 - 2712	13	5.9	85

### Reaction Arms / Nose Extension Included In The Kit

			
Standard Reaction Arm	Nose Extensions	Standard Reaction Arm For Nose Extension	Wheel Nut Reaction Arm For Nose Extension
10247	25670 (12), 22103 (15), 20119 (18)	15191	15201

#### SYDNEY HEAD OFFICE

131 WOIDS AVENUE  
CARLTON NSW 2218  
TEL: (02) 9547 1844  
sales@specialisedforce.com.au

#### Adelaide

316 SOUTH ROAD  
RICHMOND SA 5033  
TEL: (08) 8352 8866  
sasales@specialisedforce.com.au

#### Brisbane

2/68 NORTHLINK PLACE  
NORTHGATE QLD 4013  
TEL: (07) 3256 6011  
qldsals@specialisedforce.com.au

#### Townsville

2/1 CIVIL ROAD  
GARbutt QLD 4814  
TEL: (07) 4728 8756  
nqsals@specialisedforce.com.au

#### Melbourne

2/18 SOUTH FORK DRIVE  
KILSYTH VIC 3137  
TEL: (03) 9761 4199  
vicsals@specialisedforce.com.au

- **Quality**

- **Sales**

- **Service**

- **Solutions**

#### Perth

19 AUGUSTA STREET  
WILLETTON WA 6155  
TEL: (08) 9354 8544  
wasals@specialisedforce.com.au

#### Port Hedland

4/13 CAJARINA ROAD  
WEDGEFIELD WA 6721  
TEL: (08) 9172 1113  
phsales@specialisedforce.com.au

#### Darwin

4/17 WILLES ROAD  
BERRIMAH NT 0828  
TEL: (08) 8984 4453  
ntsals@specialisedforce.com.au

#### Hobart

22/370-380 CAMBRIDGE ROAD  
MORNINGTON TAS 7018  
TEL: 0427 423 217  
tassals@specialisedforce.com.au



## WM-700 TOOL KIT

PART #: WM-700

Accidents caused by incorrectly tightened wheel nuts are a serious problem. That's why the RAD Wheel Nut Bolting was designed with one job in mind: wheel nut bolting where torque control is a must.

RAD planetary gear torque wrenches are vibration free and have the accuracy to prevent accidental under- and over-tightening.

WM-700 or Wheel Master as it has become known is an all new tool developed specifically for the tightening of wheel nuts on trucks, buses and commercial vehicles up to 700ft.lbs. With a special slave style reaction to eliminate dangerous pinch points protect the wheel nuts and prevent damage to the rim, this is the ultimate wheel fitting tool.

- Slave style reaction arm
- Accuracy to ensure correct tightened wheels

All RAD pneumatic Series tools are supplied with Reaction arm, 3M hose, tool holder, Filter/Regulator/Lubricator, Weatherproof Site box and instruction manual as standard.



Part Number	Tool Model	Square Drive	Torque		Speed RPM	Weight Kg	Noise Level DbA	Dimensions				
			Lb-ft	Nm				A	B	C	D	E
WM-700	WM-700	3/4"	300 - 700	400 - 950	115	5.4	80	368	63	50	69	228

### SYDNEY HEAD OFFICE

131 WOIDS AVENUE  
 CARLTON NSW 2218  
 TEL: (02) 9547 1844  
[sales@specialisedforce.com.au](mailto:sales@specialisedforce.com.au)

### Adelaide

316 SOUTH ROAD  
 RICHMOND SA 5033  
 TEL: (08) 8352 8866  
[sasales@specialisedforce.com.au](mailto:sasales@specialisedforce.com.au)

### Brisbane

2/68 NORTHLINK PLACE  
 NORTHGATE QLD 4013  
 TEL: (07) 3256 6011  
[qldsales@specialisedforce.com.au](mailto:qldsales@specialisedforce.com.au)

### Townsville

2/1 CIVIL ROAD  
 GARBUTT QLD 4814  
 TEL: (07) 4728 8756  
[nqsales@specialisedforce.com.au](mailto:nqsales@specialisedforce.com.au)

### Melbourne

2/18 SOUTH FORK DRIVE  
 KILSYTH VIC 3137  
 TEL: (03) 9761 4199  
[vic-sales@specialisedforce.com.au](mailto:vic-sales@specialisedforce.com.au)

- **Quality**

- **Sales**

- **Service**

- **Solutions**

### Perth

19 AUGUSTA STREET  
 WILLETTON WA 6155  
 TEL: (08) 9354 8544  
[wasales@specialisedforce.com.au](mailto:wasales@specialisedforce.com.au)

### Port Hedland

4/13 CAJARINA ROAD  
 WEDGEFIELD WA 6721  
 TEL: (08) 9172 1113  
[phtsales@specialisedforce.com.au](mailto:phtsales@specialisedforce.com.au)

### Darwin

4/17 WILLES ROAD  
 BERRIMAH NT 0828  
 TEL: (08) 8984 4453  
[nts-sales@specialisedforce.com.au](mailto:nts-sales@specialisedforce.com.au)

### Hobart

22/370-380 CAMBRIDGE ROAD  
 MORNINGTON TAS 7018  
 TEL: 0427 423 217  
[tassales@specialisedforce.com.au](mailto:tassales@specialisedforce.com.au)