

12 TONNE BATTERY HYDRAULIC CRIMPERS (MADE IN JAPAN)



MODEL NO. REC 6 SERIES

The REC Series battery operated 12 tonne compression tools accept 12 tonne standard dies. Used for applying lugs, connectors and compression fittings to copper cables, aluminium, ACSR, ABC and various other cables and conductors. The pistol versions "Series 6" tools are well balanced and preferred for overhead and switchboard applications. The trigger switch and return button are activated by only one hand, so that other hand is always free to hold working material. New electronic circuit board with LED indicates compression status and battery capacity. To order complete kits with tool, two batteries and 12/24VDC-230VAC charger - add the **suffix (CC)** to the "Kit Model No." shown in tables below.



REC-6431
Pistol "C" Head

FEATURES

- Fitted with electronic memory function that records the number of compression cycles.
- Non slip soft grip.
- 12/24VDC-230VAC charger included ("CC" kit models)
- 14.4VDC 4.0Ah Lithium-Ion Batteries with Charge Indicator BP-84LI
- Increased battery life
- Ergonomic design and hand grips
- Rapid ram advance mechanism
- LED Light (For dark working places)
- Improved Motors & Circuit Boards (Series 6 Only)
- Crimping Head Swivel capability ranging up to 350° depending on the Hydraulic Cimper Model
- Quality ISO9001
- Pinch Free Design - OH&S compliant
- These tools are fitted with rubber cover to prevent accidental flash over (not rated).

STANDARD ACCESSORIES

- Shoulder strap
- Double moulded carry case



REC-6510
Pistol "C" Head



REC-H6130
Pistol "U" Head

Continued Next Page

SPECIFICATIONS

Kit Model No.	Style	Head Type	Jaw Opening (mm)	Force (Kn)	Capacity (mm ²)		Dimensions (mm) (LxHxW)	Reservoir Capacity (cc)	Wt Inc Battery (kg)
					Al	Cu			
REC-6431(CC)	Pistol	C	31	120	300	300	431x284x84	153	7.1
REC-6510(CC)	Pistol	C	42	120	300	400	453x284x84	153	7.4
REC-H6130(CC)	Pistol	U	25	120	300	300	423x284x80	153	5.7

* For special lugs, connectors or sleeves contact Specialised Force as we can test crimp materials and suggest most suitable models

Refer page 14 for battery and charger details

Refer pages 18-20 for 12T dies



REC-6431

LED LIGHTS



REC-6510

BATTERIES AND CHARGER

Battery Level LED Indicator



MODEL No. BP-84LI BATTERY

FEATURES

- Battery status level LED indicator: 3 LED= 85% remaining, 2 LED= 65%-85% remaining, 1 LED = 5%-65%, 0 LED= less than 5% remaining
- High Capacity 4.0Ah Battery Pack
- Lightweight
- Impact resistant Housing
- Minimally effected by high Temperatures
- Minimal Self Discharge
- No memory effect



230V BATTERY CHARGER ADAPTOR



12/24VDC BATTERY CHARGER ADAPTOR

MODEL No. CH-120 CHARGER

FEATURES

CHARGES BP-84LI BATTERIES ONLY

- Includes AC/DC charging base with AC/DC charge adaptors
- Charger has conditioning feature to accommodate memory effect
- 80% charge in 70mins, fully charged in 90mins.
- New interlocking feature- Holds battery securely
- Monitors battery temperature & Battery Voltage for correct Charging and battery faults

Green- Charging

Orange- Charging Completed

Red- High-Low Temperature

Red Blinking- Error Unable to Charge

None- Stand By.

Model No.	Components	Voltage/Source	Weight
BP-84LI	1 x Battery Only	14.4VDC	600g
CH-120	1 x Charging Base, 1 x DC Charge Adaptor 12/24VDC 1 x AC Charge Adaptor 230VAC	230VAC/12/24VDC	975g